

890-960MHz(Center Frequency 915MHz) 1/4 wave 2dBi FOR SMA MALE R/A

ROHS




Specifications/Special Features :

This antenna is designed for 890-960MHz
wireless Communications



Specification	
Model No.	DA-915-03-SMRA
Frequency	890-960MHz(Center Frequency 915MHz)
Gain	2 dBi
V.S.W.R	≤ 2.0 (Center Frequency 915MHz ≤ 1.5)
Polarization	Vertical
Connector	SMA Male Right Angle
Impedance	50 Ω
Operation temperature	-20°C ~+60°C
Storage temperature	-30°C ~+75°C
Dimensions	L57 x W16.5 x H8 mm

DA-915-03-SMRA	890-960MHz(Center Frequency 915MHz) 1/4 wave 2dBi FOR SMA MALE R/A
----------------	--




SMA MALE RIGHT ANGLE

1	FREQUENCY : 890-960MHz(Center Frequency 915MHz)	6	IMPEDANCE : 50 Ω
2	GAIN : 2 dBi	7	
3	V.S.W.R : <=2.0 (Center Frequency 915MHz <= 1.5)	8	
4	LENGTH : 57 mm	9	
5	CONNECTOR : SMA MALE R/A	10	



H-PLANE



E-PLANE

