



長 宏 科 技 有 限 公 司  
Chang Hong Information Co., Ltd.

850/900/1800/1900/2170 MHz 3dBi MAGNETIC+RG174(3M)+SMA MALE

ROHS




Specifications/Special Features :



Global System for Mobile Communication  
850/900/1800/1900/2100 MHz phone antenna,  
Broadband design for GSM/UMTS/WCDMA  
systems.

Specification	
Model No.	GSM-01
Frequency	850/900/1800/1900/2170 MHz
Antenna Type	MAGNETIC BASE
Gain	3dBi
Polarizaion	Vertical
V.S.W.R	<1.8:1
Cable	RG174 Length=3M (Option)
Max Power	60W
Cable Connector	SMA MALE (Option)
Impedance	50Ω
Operating Temperature	-40 ~ +75°C
Storage Temperature	-45 ~ +75°C
Dimension	L100xW30xH30mm


GSM-01 850/900//1800/1900/2170 MHz 3dB MAGNETIC+RG174(3M)+SMA MALE



1	FREQUENCY : 850/900MHZ/1800/1900/2170 MHz	6	IMPEDANCE : 50 $\Omega$
2	GAIN : 3 dBi	7	
3	V.S.W.R : < 1.8 : 1	8	
4	LENGTH : L100xW30xH30 mm	9	
5	CONNECTOR : SMA MALE (Option)	10	



**H-PLANE**



**E-PLANE**

