



長 宏 科 技 有 限 公 司  
Chang Hong Information Co., Ltd.

900/1800/1900/2100 MHz MAGNETIC 7dBi+ RG58(2M)+FME FEMALE (Option)




Specifications/Special Features :  
Global System for Mobile Communication  
900/1800/1900/2100 MHz phone antenna,  
Broadband design for GSM/DCS/PCS/WCDMA  
systems.



Specification	
Model No.	GSM-31
Antenna Type	Magnetic Base
Frequency	900/1800/1900/2100 MHz
Gain ( dBi )	7 dBi
VSWR	<1.7
Polarization	Vertical
Impedance	50Ω
Cable Connector	FME FEMALE (Option)
Max Power	50 W
CABLE	RG58
CABLE length	2M (Option)
Working Temp	-40℃ ~+85℃
Demensions	L590Xw76Xh76mm

GSM-31


GSM 900/1800/1900/2100 MHz MAGNETIC 7DBI+RG58(2M)+FME JACK (OPTION)



1	FREQUENCY : 900/1800/1900/2100 MHz	6	IMPEDANCE : 50 Ω
2	GAIN : 7DBI	7	MAX POWER : 50W
3	V.S.W.R : <1.7:1	8	POLARIZATION : Vertical
4	LENGTH : L590×W76×H76mm	9	
5	CONNECTOR : FME FEMALE (Option)	10	



## H-PLANE



## E-PLANE

