



長 宏 科 技 有 限 公 司
Chang Hong Information Co., Ltd.

GSM 850/900/1800/1900/2100 MHz 3dBi L TYPE PATCH ANTENNA +RG174(3M)+SMA PLUG




Specifications/Special Features :
Global System for Mobile Communication
850/900/1800/1900/2100 MHz phone antenna,
Broadband design for GSM/UMTS/WCDMA
systems.

Specification	
Model No.	GSM-03
Antenna Type	Rectangle Patch antenna
Mounting	Double - side tape
Operating Frequency	850/900/1800/1900/2100 MHz
Gain	3 dBi
VSWR	<1.8
Power	10 Watts
Impedance	50 ohms
Polarization	Vertical
Dimensions	L132xW22.5xH7mm
Cable	RG174 Length=3M (Option)
Cable Connector	SMA PLUG (Option)
Antenna color	black

GSM-03



GSM 850/900/1800/1900/2100 MHz 3dBi L TYPE PATCH ANTENNA +RG174(3M)+SMA PLUG





SMA PLUG (Option)

Double-side tape


CABLE:RG174 Length=3M (Option)



1	FREQUENCY : 850/900/1800/1900/2100 MHz	6	IMPEDANCE : 50 Ω
2	GAIN : 3 dBi	7	
3	V.S.WR : < 1.8 : 1	8	
4	LENGTH : L132xW22.5xH7mm	9	
5	CONNECTOR : SMA PLUG (Option)	10	



H-PLANE



E-PLANE

