



長 宏 科 技 有 限 公 司  
Chang Hong Information Co., Ltd.

GSM 850/900/1800/1900/2100MHz 3dBi CIRCLE PATCH ANTENNA+RG174(3M)+SMA PLUG




Specifications/Special Features :  
Global System for Mobile Communication  
850/900/1800/1900/2100MHz phone antenna,  
Broadband design for GSM/UMTS/WCDMA systems.


Specification	
Model No.	GSM-39
Operating Frequency	850/900/1800/1900/2100 MHz
Antenna Type	Circle Patch
Gain	3dBi
VSWR	< 1.8
Polarization	Linear Vertical
Temperature	-40 to +85 °C
Max Power	100W
Connector Options	SMA MALE (Option)
Cable: RG-174	Length=3M (Option)
Antenna Case	ABS (black)
Dimension	L50xW50xH14mm

GSM-39



GSM850/900/1800/1900/2100MHz 3dBi CIRCLE PATCH ANTENNA+RG174(3M)+SMA PLUG




CABLE:RG174 Length=3M (Option)



1	FREQUENCY : 850/900/1800/1900/2100 MHz	6	IMPEDANCE : 50 Ω
2	GAIN : 3dBi	7	
3	V.S.W.R : <1.8	8	
4	CABLE LENGTH : RG174 Length=3M (Option)	9	
5	CONNECTOR : SMA MALE(Option)	10	



# H-PLANE



# E-PLANE

