



長 宏 科 技 有 限 公 司
Chang Hong Information Co., Ltd.

860-960MHz(center 915MHz) 3dBi ROOF SCREW+RG174(1M)+SMA PLUG




Specifications/Special Features :
Global System for Mobile Communication
860-960MHz antenna,
Broadband design for 860-960MHz systems.



Specification	
Model No.	CA-915-01
Operating Frequency	860-960MHz(center 915MHz)
Antenna Type	Roof Screw Mount
Antenna Color	Black
VSWR	Center 915MHz < 1.6 , (860-960MHz < 2.0)
Polarization	Linear Vertical
Temperature	-40 to +85 °C
Humidity	40% to 95% RH
Connector Options	SMA MALE
Cable: RG-174	Length=1M
Cable Color	Black
Dimension	L45xW80xH45mm

CA-915-01-174-1M-0102

860-960MHz(center 915MHz) 3dBi ROOF SCREW+RG174(1M)+SMA PLUG





1	FREQUENCY : 860-960MHz	6	IMPEDANCE : 50 Ω
2	GAIN : 3dBi	7	
3	V.S.W.R : Center 915MHz < 1.6 , (860-960MHz < 2.0)	8	
4	CABLE LENGTH : RG174 L=1M	9	
5	CONNECTOR : SMA MALE	10	





Radiation pattern :

	E-plane	H-plane
860MHz		



915MHz



960MHz

