

WIFI 2.4-2.5GHz 2.5dBi/WIFI 2.4-2.5GHz 2.5dBi 2 IN 1 50mm Circle ROOF SCREW  
RG174(30CM)x2+SMA MALE RP(WIFI)+SMA MALE RP(WIFI)




Specifications/Special Features :



This antenna is designed for WIFI wireless communications

Specification	
Model No.	GPM-11
Antenna Type	Roof Screw Mount
Antenna Size	L47xW50xH50 mm
<b>WIFI</b>	
Gain ( dBi )	2.5 dBi
Frequency	2400-2500 MHz
VSWR	< 1.9
Polarization	Linear Vertical
Temperature	-40 to +85 °C
Humidity	40% to 95% RH
Antenna Connector	SMA MALE RP (Option)
Coaxial Cable	RG174 Length=30CM (Option)
<b>WIFI</b>	
Gain ( dBi )	2.5 dBi


Frequency	2400-2500 MHz
VSWR	< 1.9
Polarization	Linear Vertical
Temperature	-40 to +85 °C
Humidity	40% to 95% RH
Antenna Connector	SMA MALE RP (Option)
Coaxial Cable	RG174 Length=30CM (Option)




# WIFI PORT 1 TEST





## H-PLANE




## E-PLANE



# WIFI PORT 2 TEST



## H-PLANE



## E-PLANE

